

Notice of Allowability

Application No.

10/064,252 ✓

Examiner

Cheukfan Lee

Applicant(s)

YEH, CHIEN-LIANG

Art Unit

2627

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to an application for patent filed June 26, 2002.
2. ☒ The allowed claim(s) is/are 1-9.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.


Cheukfan Lee

1. All pending claims 1-9 are pending. Claim 1 is independent.

2. The following is an examiner's statement of reasons for allowance:

Claim 1 is allowable over the prior art of record. Claim 1 requires that the shock-absorber structure comprises a plurality of resilient elements, mounted within a slot of the lower case, of the scanning apparatus, where is inserted a side portion of the window transparent board, the resilient elements being oppositely mounted with different lengths in abutment between an inner surface in the slot and the side portion of the window transparent board, the scanning apparatus respectively includes a housing comprised of an upper case and the lower case, and the window transparent board mounted between the upper and lower cases. The claimed shock absorber structure mounted in the scanning apparatus is not taught by the prior art of record.

The closest art Hayashi (U.S. Patent No. 6,906,313), which is not prior art because of the effective U.S. filing date February 19, 2003, discloses shock absorbing members (61 in Figs. 5 and 6) for a casing of an image reading device, but the shock absorbing structure is not the same as the presently claimed shock absorber structure.

Claims 2-9 depend on claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Art Unit: 2627

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Hayashi (U.S. Patent No. 6,906,313), "Casing with shock absorbing devices for image reading device"

Fan (U.S. Patent No. 6,131,875), (cone-shaped shock absorbing structure for an optical scanner"

Lee et al. (U.S. Patent No. 6,829,065), "Glass supporting device of scanner"

Chiang et al. (U.S. Patent No. 6,124,951), "Scanner upper housing"

Lee et al. (U.S. Patent No. 6,940,623), "Glass mount for scanner"

Chiang (U.S. Patent No. 5,969,245), "Scanner casing"

Nimura et al. (U.S. Patent No. 5,521,681), "Image forming apparatus"

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cheukfan Lee whose telephone number is (571) 272-7407. The examiner can normally be reached on 9:30 a.m. to 6:00 p.m., Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward L. Coles can be reached on (571) 272-7402. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2627

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Cheukfan Lee
December 23, 2005



Cheukfan Lee